56, Emmaline Crescent
Scarborough, Ontario, M1S 1L2
info@purityfine.com

SPECIMEN CERTIFICATE OF ANALYSIS

Murexide PurReagent ACS PurReagent, >=98%

CAS 3051-09-0

SPECIMEN ONLY. This shows the layout and the tests reported on a Purity Fine certificate of analysis. It carries no lot number and no measured results, and is not a certificate for any material. The certificate for your lot ships with the goods.

Product

Product name	Murexide PurReagent ACS PurReagent, >=98%
Synonym	Murexide Indicator, ACS grade
CAS number	3051-09-0
Product code	31135
Grade	ACS Reagent
Brand	Purityfine · PurReagent
Category	Indicators & Titration Reagents
Pack size	5 g

Lot details

Lot number	completed per lot
Manufacturing date	completed per lot
Retest / expiry date	completed per lot
Quantity released	completed per lot

Results

Test	Specification	Result
Appearance	Purple-red crystalline powder (ammonium purpurate)	-
Assay	>=98%	-
Identity (IR / titration)	Conforms	-
Water content	To specification	-

Release

Released by	completed per lot
Position	completed per lot
Date of release	completed per lot

The specimen above is provided so the format can be reviewed before purchase. Results are reported for the lot supplied and are measured against the specification in force at the date of release.

SPECIMEN